### Children's Dosage Guide

If you have questions about your child/children's medication dosages, please contact our office at 317-217-2900.

### IN THE EVENT OF AN OVERDOSE, CONTACT POISON CONTROL AT 1-800-222-1222.

**PLEASE BE AWARE** that the "old" infant acetaminophen drops (80 mg in each 5 ml) have been phased out in the United States and replaced with less-concentrated form of the medicine. The concentrated drops are still safe to use as long as the dose is correct. Please contact our office if you have questions regarding the concentration of the medicine your child is taking.

Know your child's weight and follow the dosage chart.

#### **Acetaminophen Dosages**

(Brand names: Tylenol)

This medicine is used for fever and pain relief. It can be given every 4-6 hours as needed. Please note, some brands have "infant" and "children's" variety. Note that the "new" infant is the same as the "children's". The concentration for both is 160 mg per 5 ml. Please note the dosages below. Again, please check which concentration of Tylenol you are using to be sure you are giving the appropriate dosing per the concentration.

Weight	Age	INFANT'S Oral Suspension (160 mg in each 5 ml)	CHILDREN'S Oral Suspension (160 mg in each 5 ml	Meltaways Chewable Tablets (80 mg tablets)	Junior Meltaways Chewable Tablets (160 mg tablets)	Adult Tablets 325 mg Tablets	Adult tablets Extra Strength
6-11 lbs	0-3	Do not use	Do not use	Do not use	Do not use	Do not	Do not
	mos					use	use
12-17 lbs	4-11 mos	2.5 ml	2.5 ml				
18-23 lbs	12-23	3.75 ml	3.75 ml				
	mos						
24-35 lbs	2-3 yrs	5 ml (1 tsp)	5 ml (1 tsp)	2 tablets	1 tablet		
36-47 lbs	4-5 yrs		7.5 ml (1.5 tsp)	3 tablets	1.5 tablets		
48-59 lbs	6-8 yrs		10 ml (2 tsp)	4 tablets	2 tablets		
60-71 lbs	9-10		12.5 ml (2.5 tsp)	5 tablets	2.5 tablets		
	yrs						
72-95 lbs	11 yrs		15 ml (3 tsp)	6 tablets	3 tablets	1.5	
						tablets	
95-135			20 ml (4 tsp)	8 tablets	4 tablets	2	1 tablet
lbs						tablets	
Over					5 tablets	2.5	1.5
135 lbs						tablets	tablets

### **Ibuprofen Dosages**

(Brand names: Motrin and Advil)

This medicine is used for fever and pain relief. It can be used every 6-8 hours as needed. There is an infant concentration (50 mg per 1.25 ml) and a children's concentration (100 mg per 5 ml). Either one is ok to use in any age child.

Weight	Age	INFANT'S	CHILDREN'S	Junior Chewable	Adult Tablets
		Drops Ibuprofen	Oral Suspension	Tablets	200 mg tablets
		(50 mg in each	(100 mg in	100 mg tablets	
		1.25 ml)	each 5 ml)	100 mg tablets	
6-11 lbs	0-5 mos	Do not use	Do not use	Do not use	Do not use
12-17 lbs	6-11 mos	1.25 ml	2.5 ml		
18-23 lbs	12-23 mos	1.875 ml	4.0 ml		
24-35 lbs	2-3 yrs	2.5 ml	5 ml (1 tsp)	1 tablet	
36-47 lbs	4-5 yrs		7.5 ml (1.5 tsp)	1.5 tablets	
48-59 lbs	6-8 yrs		10 ml (2 tsp)	2 tablets	
60-71 lbs	9-10 yrs		12.5 ml (2.5	2.5 tablets	1 tablet
			tsp)		
72-95 lbs	11 yrs		15 ml (3 tsp)	3 tablets	1.5 tablets
95-135 lbs			20 ml (4 tsp)	4 tablets	2 tablets
Over 135 lbs				6 tablets	3 tablets

### **Antihistamine Dosages**

(Brand names: Benadryl, Claritin, Zyrtec and others)

For allergies, don't use under 1 year of age. For colds, not recommended at any age and should be avoided if under 4 years old. Avoid mult-ingredient products in children under 6 years of age.

#### **Bendadryl Dosage**

(Generic: Diphenhydramine)

May repeat dosage every 6 hours as needed

Child's Weight	20-24 lbs	25-37 lbs	38-49 lbs	50-99 lbs	100 + lbs
Liquid 12.5 mg/5ml	3⁄4 tsp	1 tsp	1.5 tsp	2 tsp	4 tsp
Bendadryl Chewable 12.5 mg		1 tablet	1.5 tablets	2 tablets	4 tablets
Capsules 25 mg				1 capsule	2 capsule

# Claritin Dosage (Generic: Loradtadine)

	2-5 yrs	6-12 yrs	12+ yrs
Children's Liquid 5	1 tsp Once Daily	2 tsp Once Daily	2 tsp Once Daily
mg/5ml			
Children's Chewable 5	1 tablets Once Daily	2 tablets Once Daily	2 tablets Once Daily
mg tablets	_	-	-
Tablets 10 mg		1 tablet Once Daily	1 tablet Once Daily

# **Zyrtec Dosage** (Generic: Cetirizine)

	6 mos-2 yrs	2-5 yrs	6+ yrs
Children's Liquid 1mg/1ml	½ tsp Once Daily	½ or 1 tsp Once Daily	1 or 2 tsp Once Daily
Children's Chewable 5 mg tablets		1 tablet Once Daily	2 tablets Once Daily
Children's Chewable 10 mg tablets			1 tablet Once Daily
Tablets 10 mg			1 tablet Once Daily

Allegra Dosage (Generic: Fexofenadine)

	6mos – 2 yrs	2-11 yrs	12+yrs
Children's Liquid	2.5 ml Twice Daily	5 ml Twice Daily	10 ml Twice Daily
30 mg/5 ml			
Children's Oral	½ tab Twice Daily	1 tab Twice Daily	2 tabs Twice Daily
Disintegrating 30 mg			
Tablets			
Tablets 60 mg			1 tab Twice Daily
Tablets 180 mg			1 tab Once Daily